Installation

We are going to learn how to install this interesting authorization plugin to your Rails application. For your information, this is the specification of application sample that I used:

- Rails 4 (4.0.0)
- Devise 3 (3.0.3)
- SQLite 3 (1.3.8)

Let's create our Rails application by executing this command:

```
$ rails new learning-devise
```

The first thing that should be done is you need to add the Devise gem to your `Gemfile`.

```
gem 'devise'
```

To make sure that everything is installed properly, you can execute the following command inside your Rails application folder:

```
$ bundle install
```

The command will install the Devise gem, and now you have to install the configuration files for Devise. You can install it all at once by executing the following command:

```
$ rails generate devise:install
```

The result of the command is shown in the following screenshot:

```
bash-3.2$ rails generate devise:install
      create  config/initializers/devise.rb
      create  config/locales/devise.en.yml
===============================================================================

Some setup you must do manually if you haven't yet:

  1. Ensure you have defined default url options in your environments files. Here
     is an example of default_url_options appropriate for a development environment
     in config/environments/development.rb:

       config.action_mailer.default_url_options = { :host => 'localhost:3000' }

     In production, :host should be set to the actual host of your application.

  2. Ensure you have defined root_url to *something* in your config/routes.rb.
     For example:

       root :to => "home#index"

  3. Ensure you have flash messages in app/views/layouts/application.html.erb.
     For example:

       <p class="notice"><%= notice %></p>
       <p class="alert"><%= alert %></p>

  4. If you are deploying on Heroku with Rails 3.2 only, you may want to set:

       config.assets.initialize_on_precompile = false

     On config/application.rb forcing your application to not access the DB
     or load models when precompiling your assets.

  5. You can copy Devise views (for customization) to your app by running:

       rails g devise:views

===============================================================================
bash-3.2$
```

Devise installation

www.it-ebooks.info