- `app/views/devise/registrations/new.html.erb`: This file is a view file for the registration page. It is a bit different from the sign-up page; in this file, you need to add the `username` field, so that the user can fill in their username when they perform the registration.

```
#app/views/devise/registrations/new.html.erb

<h2>Sign Up</h2>

<%= form_for() do |f| %>
<%= devise_error_messages! %>

<div><%= f.label :email %><br />
<%= f.email_field :email, :autofocus => true %></div>

<div><%= f.label :username %><br />
<%= f.text_field :username %></div>

<div><%= f.label :password %><br />
<%= f.password_field :password %></div>

<div><%= f.label :password_confirmation %><br />
<%= f.password_field :password_confirmation %></div>

<div><%= f.submit "Sign up" %></div>
<% end %>

<%= render "devise/shared/links" %>
```

Especially for registration, you need to perform extra modifications. Previously, in *Chapter 1*, *Devise – Authentication Solution for Ruby on Rails*, we have talked about mass assignment rules written in the `app/controller/application_controller.rb` file, and now, we are going to modify them a little. Add `username` to the sanitizer for sign-in and sign-up, and you will have something as follows:

```
#these codes are written inside configure_permitted_parameters
function

devise_parameter_sanitizer.for(:sign_in) {|u| u.permit(:email,
:username)}
devise_parameter_sanitizer.for(:sign_up) {|u|
u.permit(:email, :username, :password, :password_confirmation)}
```


www.it-ebooks.info