```
String.class_eval do
  prepend ExplicitString
end

"War and Peace".length      # => "long"
```

Spell: Prepended Wrapper

You can call this a *Prepended Wrapper*. It's not local like a Refinement Wrapper, but it's generally considered cleaner and more explicit than both a Refinement Wrapper and an Around Alias.

Now you know more than enough to get back to the Bookworm source code.

Solving the Amazon Problem

Remember where this discussion of method wrappers originated? You and Bill wanted to wrap logging and exception handling around the Amazon#reviews_of method. Now you can finally do that with an *Around Alias (134)*, a *Refinement Wrapper (135)*, or a *Prepended Wrapper (136)*. The third option looks cleaner, as it doesn't dabble in Monkeypatching or weird Refinement rules:

class_definitions/bookworm_wrapper.rb

```
module AmazonWrapper
  def reviews_of(book)
    start = Time.now
    result = super
    time_taken = Time.now - start
    puts "reviews_of() took more than #{time_taken} seconds" if time_taken > 2
    result
  rescue
    puts "reviews_of() failed"
    []
  end
end

Amazon.class_eval do
  prepend AmazonWrapper
end
```

As you admire this smart piece of code, Bill hits you with an unexpected quiz.

Quiz: Broken Math

Where you find that one plus one doesn't always equal two.

Most Ruby operators are actually methods. For example, the + operator on integers is syntactic sugar for a method named Fixnum#+. When you write 1 + 1, the parser internally converts it to 1.+(1).