Diarrhea usually cures itself in 3 or 4 days with rehydration (Drinking a lot of fluids). Loss of fluid and nutrients from the body which can cause dehydration and malnutrition.


The best treatment for diarrhea is to

- Drink lots of liquids and Oral Rehydration solution. It is available in pockets.

Oral Rehydration Solution

The spoon is used for measuring sugar and-salt has a large end (A) is for sugar. The small end (B) is for salt.

Using the spoon



Spoon for ORS Preparation at Home

Preparation of ORS at HOme

1. Make the sugar and salt flat.
2. Put the sugar into the glass of water with the salt.
3. Mix the water (250ml), sugar and salt.
4. Taste before drinking. If it is very salty throw it away and start making the drink again. It should not be more salty than tears.
5. **Important** Too much salt is dangerous. Use only small spoon of salt in one glass of water.
6. Drink ORS slowly.
7. Take about 10 minutes to drink it.
8. Men and women must drink 2 glasses after every stool. Children must drink 1 glass after every diarrhea stool.

Fluid Replacement amount

Vomiting

After drinking, the child or adult may vomit the sugar, salt and water. Do not worry. Continue giving the drink. Give a little more to replace what has been vomited, and give it very slowly without forcing. Encourage the child to drink a diluted cereal as well as the sugar and salt mixture. Eating or drinking a cereal food (such as rice or maize) may reduce stool volume by half.

When to seek help when the person with diarrhea:

1. Very small baby;
2. Green colour vomit;
3. becomes more ill;
4. does not answer clearly when spoken to.
5. Continue using the salt, sugar and water until help comes.

Nursing care at Home for the follow up care

Home care is done by the health care provider for the following various disease conditions and surgeries.

They are

a) Pneumonia
b) Laryngectomy
c) Pulmonary tuberculosis
d) Cardiac surgery
e) Bronchial asthma
f) Mastectomy
g) Coronary artery disease
h) Client with casts
i) Diabetes mellitus
j) Ostomy such as gastrostomy
k) Hypertension
l) Ortho surgeries
m) Anemia
n) Arthritis
o) Blindness
p) Cancer
q) Cerebro vascular disease

Practical 1-8.indd 324 09-03-2020 15:33:10