Psychomotor Activity :

- Motor activity Increased or decreased
- Abnormal involuntary movements like tics, tremors, akathisia, and restlessness
- Compulsive acts, rituals or habits (e.g.; nail biting)
- Checking rituals: in which the patient may repeatedly check the front door is closed or electrical switches are in the 'off' position.
- Cleaning rituals
- Dressing rituals
- Trichotillomania; a compulsion to pull out ones hair

Speach

Initiation : Spontaneous/ speaks when spoken to

Rate and quantity : Normal / absent (mutism)/ Increased / Decreased

Flow and rhythm speech : Rapid / Slow / Monotonous / Loud /

Relevance : Relevant / Irrelevant

Mood and Affect

Mood

Mood is defined as a emotion that colors the person's underlying perception of the world.

Observe the patients' mood during the interview and also ask how they are Feeling?

Affect

Affect can be defined as the patient's present emotional outward responsiveness; inferred from the patient's facial expression, including the amount and the range of expressive behavior.

1) Subjective data : how the patient reports prevailing mood

2) Objective data : your impression

(Elevated / Euthymia / Anxious / Irritable)

Thought Content

Thought can be divided into stream, form and content.

Stream : Normal / Thought block / Flight of ideas

Form : Word salad / Circumstantiality / Neologism

Content

Delusion : present / Absent

Phobia : Present / Absent

Preoccupation : Present / Absent

Perception

Hallucinations : present / Absent

Illusions : Present / Absent

COGNITIVE FUNCTION

Consciousness : Conscious / Alert / Drowsy / Coma

Attention : Normally aroused / Aroused with difficulty

(Attention is assessed by calculations or by asking the patient to spell the word or others forward and backward)

Concentration : Normal / Distracted

(Names of months / Names of the week days in backward)

Orientation : Oriented / not oriented

(Time / Place / Person)

Memory : Intact / Impaired

Practical 1-8.indd 330 09-03-2020 15:33:11