### Preventive Measures

**For Round Worm**

- Prevention of round worm infestation can be done by interrupting its transmission
- Sanitary disposal of human excreta
- Reduction of feacal contamination of the soil
- Provision of safe drinking water, food hygiene, good personal hygiene, improving habits of hand wash before and after defecation, avoidance of open field defecation

### Pin Worm Prevention

The preventive measures include maintenance of personal hygiene, careful hand washing with soap and water after defecation and before meal, treatment of all infected family members

### Hook Worm Prevention

- avoiding contact of contaminated soil by using foot wear
- use of sanitary latrine for the sanitary disposal of feces to prevent soil pollution
- change in farming practice, that is not to use raw feces or untreated sewage as fertilizer

### Tapeworm Prevention

Treatment of infected person, meat inspection, consumption of meat with proper cooking, adequate sewage treatment and disposal creating awareness about preventive aspects by health education

## Scabies

### Definition

Scabies is an infestation caused by itch mite due to poor personal hygiene.

### Causes

- Infestation by the itch mite otherwise called as Sarcoptes Scabiei"
- skin contact with affected person (physical contact)
- Direct contact with skin, clothing and furniture containing infected mites.

### Signs and Symptoms

- **ITCHING:** Itching is a common symptom, often worse at night and can be severe and intense.
- **RASH:** When the mite burrows into the skin it forms rashes.
- **SORES:** These occur in infested areas where a person has scratched at the skin.
- **THICK CRUSTS:** Crusted scabies, is a form of severe scabies.

### The most common site of infection

- In between the finger webs
- Around finger nails
- Armpits
- Waist lines
- Inner parts of the wrists
- Inner elbow
- Soles of the feet
- Breasts
- Genitalia

**Diagnosis based on**

- Onset of generalized pruritis (itching) and the characteristic eruptions
- Itchy burrows and vesicles
- Microscope examination
- Dermatoscopy
- Digital Photography

### Management

**Medical management: Tropical application**

- Permethrin 5 % Cream/lotion
- Benzyl Benzoate 10 – 25% lotion
- Crotamition 10% ointment
- Lindane 1% lotion/cream
- Oral medication according to the severity.



Unit_2_Medical_Surgery_Gen_Nur.indd 44 09-03-2020 13:13:00