2. ST segment elevation myocardial infarction or heart attack (STEMI).

Causes And Risk Factors

- Bad cholesterol, Saturated fats, Trans fat - intake
- Obesity - cause of 20% cases
- Genetics
- High Blood Pressure (hypertension)
- High Triglyceride level
- Diabetes and high blood sugar level
- Smoking causes above 36% cases
- Lack of exercise linked 7 to 12% cases
- The use of certain illegal drugs including cocaine and amphetamines
- A history of preeclampsia or high Blood pressure during pregnancy

Signs and Symptoms

The classic symptoms of a heart attack are chest pain and shortness of breath, the symptoms can be quite varied.



The most common symptoms of a heart attack include:

- Prolonged cardiac pain (severe, sharp stabbing, radiating to neck, shoulders and back)
- Breathlessness
- Collapse / Syncope / Fainting
- Pallor
- Hypotension (or) Hypertension
- Disorientation
- Sweating
- Anxiety
- Tachycardia
- Nausea and Vomiting

Diagnosis

- ECG (Electro Cardio Gram)
- X-ray Chest.
- Serum Cardiac Markers Blood tests such as Troponin and Creatine KinaseMB (CK-MB).
- Angiogram with coronary catheterization to look for areas of blockage in the arteries.
- Echocardiography
- Coagulation Studies
- Nuclear imaging

Medical Management

- Made the patient in a comfortable bed and provide complete bed rest
- Administration of oxygen
- Starting IV line
- Monitoring ECG
- Administration of analgesics (opiates)
- Oral antianginal drug.
- Thrombolytic therapy.
- Anti-coagulants.
- B-adrenergic receptor antagonist.
- Anti-arrhythmic.
- Antiplatelet.

Surgical Management

- Percutaneous Transluminal Coronary Angioplasty (PTCA)
- Coronary Artery Bypass Grafting (CABG)

Nursing Management

- Vital Signs
- Provide comfortable bed.

Unit_2_Medical_Surgery_Gen_Nur.indd 47 09-03-2020 13:13:00