
- Oliguria
- Nacturia



The difference between the normal and enlarged heart

Diagnosis

- Echocardiography.
- ECG
- X-ray chest
- Blood test
- Cardiac catheterization
- Arterial Blood Gas analysis (ABG)

Management

- Pharmacologic therapies include the use of diuretics, vasodilators, inotropic agents, anticoagulants, beta-blockers.
- Invasive therapies for heart failure include electro physiologic intervention
- Cardiac resynchronization therapy (CRT)
- Pacemakers
- Implantable cardioverter-defibrillators (ICDs); revascularization procedures

Nursing management

- Provide comfortable bed
- Oxygen administration
- Start Intra Venous (IV) line
- Vital signs

Diet therapy

- Restricted sodium
- Restricted fluids

Complications

- Intractable heart failure
- Cardiac arrhythmias
- Myocardial failure
- Cardiac arrest
- Pulmonary infraction
- Pneumonia

Prevention

Lifestyle changes can help to prevent heart failure include:

- No smoking
- Controlling certain conditions, such as high blood pressure and diabetes
- Staying physically active
- Eating healthy foods
- Maintaining a healthy weight
- Reducing and managing stress

2.4 Fracture



Bone fracture is a medical condition where the continuity of the bone is broken. A significant percentage of bone fractures occur because of high force impact or stress. A fracture caused by medical conditions which weakens the bone (e.g Osteoprosis) is known as a **pathological fracture**. A crack (not only a break) in the bone is also known as a fracture. Fractures can occur in any bone in the body.

Definition

A fracture is a breakage in the continuity of bone and is defined according to type and extended.

Unit_2_Medical_Surgery_Gen_Nur.indd 49 09-03-2020 13:13:00