4. May have vague complaints related to aging process (Stiffness pain, weakness)
5. Estrogen deficiency may be noted.

Diagnosis

1. X-ray
2. Scan to measure Bone Mineral Density (BMD).
3. Bone density scanning uses a type of X-ray technology known as Dual-Energy-X-ray Absorptiometry (DEXA) and bone densitometry.
4. Serum Calcium phosphate
5. Serum bone matrix Glaprotein is elevated.
6. Bone biopsy shows thin porous.

Nursing Management

- Adequate intake of calcium and Vitamin D.
- Major food sources are dairy products egg yolks, fish and liver.
- Weight bearing exercise
- Hormone Replacement Therapy (HRT)
- Prevention of falls.
- Encourage exercise for all age groups.
- Provide dietary education for daily intake of calcium and Vitamin D.
- Encourage young woman at risk to maximize bone mass through nutrition and exercise.

Complications

- Fractures
- Kyphosis, loss of height
- Chronic back pain

2.6 Hypertension

Worldwide prevalence is projected to increase from approximately 1.0 billion in 2000 to 1.5 billion by 2025. It is a major, independent risk factor for cardiovascular disease (CVD), and the chief risk factor for stroke (accounted for about 62% of strokes). It's often called "the silent killer" because it can be asymptomatic for many years, and people suffering of this problem can have a sudden fatal heart attack

Definition

Hypertension(High Blood Pressure (BP)) is a disease of vascular regulation in which the mechanisms that control arterial pressure with in the normal range are altered. (The systolic pressure is above 140 mm Hg and the diastolic pressure is above 90 mm Hg).

Classification of Blood pressure for adults

Blood pressure classification (BP)	SBP* (mm of hg)	DBP* (mm of hg)
Normal	<120	<80
Prehypertension	120-139	80-89
Stage 1-hypertension	140-159	90-99
Stage 2-hypertension	≥160	≥100
DBP: Diastolic blood pressure SBP: Systolic blood pressure		

Causes

- Increased Cardiac output
- Excessive dietary sodium intake
- Endocrine disturbances
- Medications like Antidepressant steroids.
- Stroke

Risk factors

- Age between 30-70
- Diabetes Mellitus
- Metabolic syndrome
- Over weight
- Family history
- Smoking and alcohol
- Sedentary lifestyle.

Unit_2_Medical_Surgery_Gen_Nur.indd 52 09-03-2020 13:13:00