## The Sample Code

If you'd like to follow along with the application throughout the course of the book, you can download the sample code files from the book page on the Pragmatic Bookshelf website.[10]

The version of the code in the chapter_01/02 directory is the complete app setup with all the data structures, but none of the working JavaScript (the chapter_01/01 directory has mostly just the startup code from creating a new Rails application). That's probably the best place to start if you are following along. After that, the directories are named after their chapter numbers and should progress in order.

To run the code, you need a few dependencies:

- The code uses Ruby version 3.1. I recommend installing a Ruby version manager such as RVM,[11] rbenv,[12] or chruby.[13]

- The code uses PostgreSQL,[14] so you'll need to have that set up on your machine. And to help set up the Node.js packages, you'll need Node.js (versions 12.x, 14.x, or 16.x should work)[15] and Yarn (version 1.22 is preferable; the 2.0 version doesn't currently work).[16]

A number of the tools used in this book are still in active development as I write this. Here's the combination of the most important versions of tools that back the code in this book—please note that there might be some slight variation as the book moves forward because some tools updated point releases even during late revisions:

- cssbundling-rails 1.1.0
- Cypress 9.5.4
- jsbundling-rails 1.0.2
- Propshaft 0.6.4
- Rails 7.0.2.3
- Ruby 3.1.2
- Stimulus 3.0.1