partial.

The concert display partial at app/views/concert/_concert.html.erb uses current_user a few times. Replacing those usages with user is easy enough, but we also need to go after calls to that view. Specifically, the ConcertsController needs to change its references:

chapter_09/01/app/controllers/concerts_controller.rb

```
def show
  if params[:inline]
    render(@concert, locals: {user: current_user})
  end
end
```

A similar change needs to be made in app/views/schedule_day/_schedule_day.html.erb to add user: current_user to the call to render individual concerts, and to app/favorites/create.turbo_stream.erb and app/favorites/destroy.turbo_stream.erb:

chapter_09/01/app/views/favorites/create.turbo_stream.erb

```
<%= turbo_stream.append("favorite-concerts-list", @favorite) %>
<%= turbo_stream.replace(dom_id(@favorite.concert)) do %>
  <%= render(@favorite.concert, user: current_user) %>
<% end %>
<%= turbo_stream.update("no-favorites") do %>
   
<% end %>
<%= turbo_stream.update(
      "favorites-count",
      plain: current_user.favorites.count
    ) %>
```

That’s one of the changes, the other is identical and you can see it in the chapter_09/01 code file.

Broadcasting with Turbo Streams

Now with our view code suitably cleaned up, it’s time to start broadcasting. ActionCable works in terms of *channels*. The client specifies that it wants to