> support Cypress 10, but hopefully by the time you read this, Cypress 10 will be easy to drop in place.

Now we need to initialize Cypress, which we do with a rake task created by the cypress-rails gem:

```
$ rails cypress:init
```

This gives us a cypress.json file with some default parameters that we're not going to worry about yet.

Now we can see what all the fuss is about by running Cypress. The cypress-rails gem gives us a shortcut to opening the Cypress UI:

```
$ rails cypress:open
```

Note that if this is your first time running a new version of Cypress, Cypress will attempt to verify that the downloaded version is legit. On my machine, this sometimes leads to the open command failing with a timeout error. Re-running rake cypress:open causes it to work normally.

On your first Cypress 10 launch, Cypress will offer you a short "What's new video" or will give you the option to start Cypress 10. As I have this set up, Cypress will convert our cypress.json file to a newer cypress.config.ts file. It's possible that by the time you read this, the Cypress Rails gem will create the cypress.config.ts file directly.

If you don't already have a cypress folder, which we don't have at this point, Cypress will create a folder and populate it with a bunch of sample tests. It's worth digging through those sample tests, as they give examples of using Cypress to do various kinds of tests. (If you are using a more recent version of Cypress, it may no longer populate with sample tests. Cypress moves pretty quickly and your experience might be slightly different than what's described here.)