Import Maps

Before I get to the Hotwire version of the React page, I first swapped out jsbundling-rails and cssbundling-rails for importmaps-rails and the tailwindcss-rails gems. This was a little bit more straightforward than I expected, especially because the app is small, and I didn't need to bring in React (since this version of the app will replace it).

Here's what I did:

- I removed cssbundling-rails and jsbundling-rails from the Gemfile and added importmaps-rails and tailwindcss-rails.
- I removed the js: and css: lines from the Procfile.
- I removed the files from the app/assets/builds directory; those will interfere with the import map if present and will lead to some very hard to find bugs because the code you are writing isn't the code the browser is executing.
- I ran bundle install.
- I ran ./bin/rails importmap:install, which gave me a config/importmap.rb file and put <%= javascript_importmap_tags %> in the application.html.erb file.
- I ran ./bin/rails tailwindcss:install, which gave me a new config/tailwind.config.js and added a css: line back to the Procfile.dev.
- I adjusted the new tailwind.config.js to include all the content paths from the old one then deleted the old one.
- I re-ran .bin/rails turbo:install and .bin/rails stimulus:install. This added some entries to config/importmap.rb and also updated application.js and controllers/index.js.
- I converted all the Stimulus controllers from TypeScript back to JavaScript by taking out all the TypeScript type information. This is not strictly