```
    "/assets/turbo.min-DIGEST.js",
    "@hotwired/stimulus":
    "/assets/stimulus.min-DIGEST.js"/
    "@hotwired/stimulus-loading":
    "/assets/stimulus-loading-DIGEST.js"/
    "controllers/application":
    "/assets/controllers/application-DIGEST.js"/
    "controllers/calendar_controller":
    "/assets/controllers/calendar_controller-DIGEST.js",
    "controllers/concert_controller":
    "/assets/controllers/concert_controller-DIGEST.js",
    "controllers/css_controller":
    "/assets/controllers/css_controller-DIGEST.js",
    "controllers/css_flip_controller":
    "/assets/controllers/css_flip_controller-DIGEST.js",
    "controllers":
    "/assets/controllers/index-DIGEST.js"/
    "controllers/search_controller":
    "/assets/controllers/search_controller-DIGEST.js",
    "controllers/sold_out_data_controller":
    "/assets/controllers/sold_out_data_controller-DIGEST.js",
    "controllers/sort_controller":
    "/assets/controllers/sort_controller-DIGEST.js",
    "controllers/text_controller":
    "/assets/controllers/text_controller-DIGEST.js"
  }
}</script>
<link rel="modulepreload"
  href="/assets/application-DIGEST.js">
<link rel="modulepreload"
  href="/assets/turbo.min-DIGEST.js">
<link rel="modulepreload"
  href="/assets/stimulus.min-DIGEST.js">
<link rel="modulepreload"
  href="/assets/stimulus-loading-DIGEST.js">
<script
  src="/assets/es-module-shims.min-DIGEST.js"
  async="async" data-turbo-track="reload"></script>
<script type="module">import "application"</script>
```

The import map maps all the known modules to their full locations, and the links preload the libraries that were specified as being preloaded.

This all works, and there is no build step needed; the import map just ensures the