The favorite elements start with a familiar pattern. We maintain a list of favorite concerts in the global state, and clicking the Favorite button adds that concert to the state, while clicking Unfavorite takes it out.

There are three complications:

- Both make and remove need to make an async call to the server to register the change in the server-side database, which means they need to be Redux thunks and they need to pass through Rails authentication.
- We want only newly added favorites to animate in, which means we need to track which ones are new so that we can add the Animate.css to them.
- We want removed favorites to animate out, which means we can't just throw them out of the DOM; we need to make sure we animate and then hide them, so we need to track which elements have been removed client side.

Thanks goes to Michal Czaplinski for this blog post https://czaplinski.io/blog/super-easy-animation-with-react-hooks/ that I adapted to manage the animate-out effects.

The Favorite button is part of the ConcertDisplay component, which is mostly markup that I'm not showing here, but it does call a thunk for its dispatch. Here are the make and remove favorite thunks, which are similar in structure, probably enough so to extract common code:

appendix_react/01/app/javascript/contexts/schedule_context.ts

```
const csrfToken = (
  document.querySelector("[name='csrf-token']") as HTMLElement
).getAttribute("content")

export const makeFavorite = (concert: Concert): ScheduleThunk => {
  return async (dispatch) => {
    const formData = new FormData()
    formData.append("concert_id", String(concert.id))
    await fetch("/favorites.js", {
```