The turbo_frame_tag method is a helper added by the turbo-rails gem and available anywhere in Rails views. It generates a <turbo-frame> custom HTML element with the contents coming from the block, similar to many other Rails tag-building helper methods.

Do the same thing with the app/views/concerts/_form.html.erb partial. The new first line is <%= turbo_frame_tag(dom_id(concert)) do %> and the new last line is <% end %>. Yes, the edit and display partial turbo frames have the same DOM ID, but that's not going to cause a problem because they will never be on the page at the same time.

In the ConcertsController, we need to change the behavior of a successful update to just return the partial and not the entire page:

chapter_02/01/app/controllers/concerts_controller.rb

```
def update
  respond_to do |format|
    if @concert.update(concert_params)
      format.html { render(@concert) }
      format.json { render :show, status: :ok, location: @concert }
    else
      format.html { render(:edit) }
      format.json {
        render(
          json: @concert.errors,
          status: :unprocessable_entity
        )
      }
    end
  end
end
```

The render call in the successful branch now uses Rails default name to look for the partial rather than redirecting to the show page—render(@concert) looks for the partial view file at app/views/concert/_concert.

Refresh the page. (If you haven't restarted the server since installing Turbo, you also need to do that first. You may also need to re-log in as areader@example.com