- before: The body of the template is added before the element with the target ID. The new code is outside the target ID element.
- prepend: The body of the template is added at the beginning of the target, and the existing contents are maintained.
- remove: The element with the target ID is removed. In this case, the turbo-stream does not need to have any contents.
- replace: The body of the template will completely replace the existing element with the target ID. Typically the body of the template is a new element with the same ID.
- update: The body of the template will replace the content of the target, but not the element itself.

When the Turbo Stream response is evaluated, each separate Turbo Stream element has its action performed on its target.

The target attribute indicates a single DOM element in your page. If you want to have your Turbo Stream apply to multiple DOM elements at once, you can use a plural targets attribute instead. The value of the plural targets is an arbitrary CSS selector, rather than a DOM ID, so you could, for example, mark all concerts with a .favorite class when they are made favorites, and then do something in a Turbo Stream to all of them:

```
<turbo-stream action="append" targets=".favorite">
  <template>
    <div>Fav</div>
  </template>
</turbo-stream>
```

Turbo Streams are evaluated on the reply to a form submission or on receipt of ActionCable broadcasts. When a form is submitted inside a Turbo app, Turbo intercepts the request to insert into the Accept header, text/vnd.turbo-stream.html. You can verify that the header is attached by looking at the Network tab of your browser inspector for the form submission. The information will also show up in