eventual <turbo-frame> tag.

When a turbo-frame has a src attribute, Turbo will automatically update the contents of the frame once by calling the src url. The page will load with the question mark and then immediately call favorites_path(count_only: true) to fetch the contents of that frame.

We need to make the following minor change in the index method to allow for a count-only display. I'm justifying putting this in the index method on the maybe-dubious grounds that the count is a kind of display of the entire set of favorites. But if you wanted to create a FavoritesCount controller, that'd work too:

chapter_02/05/app/controllers/favorites_controller.rb

```
def index
  if params[:count_only]
    render(partial: "favorites/count")
  end
end
```

That method calls a new partial if the count_only parameter is set:

chapter_02/05/app/views/favorites/_count.html.erb

```
<span>Favorite Count:</span>
<%= turbo_frame_tag("favorites-count-number") do %>
  <span id="favorites-count" class="ml-2">
    <%= current_user&.favorites&.count || 0 %>
  </span>
<% end %>
```

This partial has the same structure as the fragment from the nav partial except that it actually displays the favorites count. Critically, it has a Turbo Frame with a matching ID as the Turbo Frame in the navigation—favorites-count-number.

Also—and this is *very* important—this version of the tag does *not* have its src attribute set. If you fetch a version with the src attribute set, Turbo will assume it is another lazy load, and will try to fetch it again. This can easily lead to an infinite loop where Turbo just continually fetches the same src. Ask me how I