As with other Stimulus features, a DOM element can declare multiple target descriptors, separated by a space, and multiple DOM elements can declare the same target name, in which case you use the plural version of the property to access all of them.

If you are using TypeScript—and only if you are using TypeScript—you need to declare any of these properties that you plan on using so that the TypeScript compiler knows they are there. This is a pain and removes some of the convenience of having the properties automatically defined. We do this with the line `elementToHideTarget: HTMLElement`, which is a TypeScript-visible declaration of the property. Perhaps someday, Stimulus will do these declarations automatically.

It's worth taking a moment here to say that these TypeScript lines declare what the properties of the class are and what type they are. If we attempt to invoke a property of a class that's either not defined in this list or is a method in the class body, such as `this.banana`, TypeScript will flag that nonexistent property and won't compile. Further, if we attempt to use one of the properties we have declared but call a nonexistent property on them, such as `this.filterButton.flavor`, TypeScript will also flag that as an error. Since the file has a `.ts` extension, our build will compile it using the TypeScript compiler, which ensures that we use the types as declared. We'll talk more about this in Chapter 6, *TypeScript*.

The rest of our controller now implements the `toggle` method to use the `elementToHideTarget` and change its class list to swap in and out the `hidden` Tailwind CSS class. At this point, if you load the page, it will work, and the Hide button of the favorites will work to hide the selection, but doesn't yet change the text.

Yay for Stimulus!



I want to take a moment here to point out that we've written this in about two lines of code, and we didn't have to deal with event