Version 2.2

- The method Object#itself is added, returning the receiving object.
- Unusual symbols are allowed as Hash keys as a string with a trailing colon, as in {"unusual symbol": 1}.

Version 2.3

- The safe navigation operator, &. is added.
- dig is added to Array, Hash, and Struct.
- Heredoc with ~ that removes leading spaces, allowing for indented text, is added.
- Hash#to_proc is added.

Version 2.4

- Using return at the top level exits the program.
- All integers are now of class Integer, previously smaller integers were Fixnum and bigger ones were Bignum.
- Boolean methods for regular expression matches, match? are added.
- Refinements can be used in send and Symbol#to_proc.

Version 2.5

- Structs can be initialized with keywords.
- Exception rescue is allowed inside a block.

Version 2.6

- Object#then is added to allow chained functions.
- Ranges without ending values are allowed.

Version 2.7

- Experimental support for pattern matching is added.
- Blocks support numbered parameters to match positional arguments, as in [1, 2, 3].map { _1 * _1}.
- Safety concepts are deprecated. They aren't covered in this book, but they were covered in the previous edition.
- Private methods are now accessible with self as the receiver. Previously this had been an error.
- Keyword and positional arguments differentiated internally, but old semantics are not removed.
- Forwarding arguments with ... are added.
- Enumerator#produce method is added.
- Ranges without beginning values are allowed.

Version 3.0

- Class variables can no longer be overridden in subclasses or including modules.
- One-line "endless" syntax for method definition is added.