Cloning Objects

To create a clone of a selected object, Choose **Edit > Clone** from the menu bar.

The clone will be offset slightly to the upper right of the original and placed on top as shown below. The new copy is automatically selected.

Cloning differs from duplication in that most changes made to the original object(the "master") are automatically applied to the clone.

For example, if you change the original's fill, the clone's fill changes as well.




Fig. 3.57 Clone option in the Edit menu

Deleting Objects

To delete an object,

1. Select the object.
2. Choose **Edit > Delete** in the menu bar (or) press the **Del / Delete** Key in the keyboard.

   To retrieve a deleted object, you must use the Undo command or press **Ctrl + Z**.

Grouping and Ungrouping objects

When you group two or more objects using Group Objects command, they are treated as a single unit.

A group behaves as if it were a single unit, meaning any changes made to a group affects all objects in the group.

You can break a grouped object into its component objects by ungrouping it. This is useful when you need to make changes to some of the individual objects that comprise a grouped object.

To create a group object

1. Select the objects with the Pick tool. (To select multiple objects hold down Shift key while selecting them.)
2. Choose **Object > Group > Group** Objects (or) Press **Ctrl + G**. The selected objects will be grouped as a single object.




Fig. 3.58 Group objects option in the Object menu

XII CompTech_English version CHAPTER 03.indd 116 10-04-2019 10:56:54