
Draw a figure using Relative Rectangular Coordinates. The coordinates of the points are given in the table below.

Point	Coordinates
1	3, 1
2	@4,0
3	@0,1
4	@-1,0
5	@1,1
6	@0,2
7	@-1,0
8	@-1,-1
9	@-1,1
10	@-1,0
11	@0,-2
12	@1,-1
13	@-1,0
14	@0,-1



1. Start a new file with **acad.dwt** template in the **Drafting & Annotation** workspace.
2. Type **LINE** in the Command Line.

   The prompt sequence is given below.

   Command: LINE ↵
   Specify first point: 3,1 ↵
   Specify next point or [Undo]: @4,0 ↵
   Specify next point or [Undo]: @0,1 ↵
   Specify next point or [Close/Undo]: @-1,0 ↵
   Specify next point or [Close/Undo]: @1,1 ↵
   Specify next point or [Close/Undo]: @0,2 ↵
   Specify next point or [Close/Undo]: @-1,0 ↵
   Specify next point or [Close/Undo]: @-1,-1 ↵
   Specify next point or [Close/Undo]: @-1,1 ↵
   Specify next point or [Close/Undo]: @-1,0 ↵
   Specify next point or [Close/Undo]: @0,-2 ↵
   Specify next point or [Close/Undo]: @1,-1 ↵
   Specify next point or [Close/Undo]: @-1,0 ↵
   Specify next point or [Close/Undo]: @0,-1 ↵
   Specify next point or [Close/Undo]: ↵




Fig. 6.64. Drawing a figure using the relative rectangular coordinates

Relative Polar Coordinates (@distance < angle)

In the relative polar coordinate system, the location of a point is specified by defining the distance of the point from the current point and the angle between the two points with respect to the positive X axis.

XII CompTech_English version CHAPTER 06.indd 195 10-04-2019 11:04:39