Mitten or finger restraint

- Mitts are used for infants to prevent self-injury by hands in case of burns, facial injury or operations, eczema of the face or body
- Mitten can be made wrapping the child's hands in gauze or with a little bag putting over the baby's hand and tie it on at the wrist



Disadvantages;

Psychological/Emotional:

- Increased agitation &hostility
- Feelings of humiliation, loss of dignity
- Increased confusion
- Fear

Physical:

- Pressure ulcers, skin trauma
- Decreased muscle mass, tone, strength, endurance contractures, loss of balance, increased risk of falls
- Reduced heart and lung capacity
- Physical discomfort, increased pain
- Increased constipation, increased risk of fecal impaction
- Increased incontinence and urinary stasis
- Obstructed and restricted circulation
- Reduced appetite, Dehydration
- Death

Restraint guidelines:

- Doctors order
- Informed consent
- Follow proper technique
- Least restrictive



- Pad boney prominence
- Maintain Good body alignment

Restraint Orders

Situational

- Initiation of Restraints

(ALWAYS after alternatives tried)

- Renewing Order

Medical

- Obtain written or verbal order within 12 hours of initiation, physician assessment within 24 hours.
- Every 24 hours to be changed.

XII_Nursing_Vocational_Practical.indd 326 1/11/2020 4:30:21 PM