- Maintain blood-sugar level.
- Feeding: NPO initially then NG Tube Feeding.
- Physiotherapy
- Methyl-prednisolone or Dexa-methasone must be given to children with suspected ADEM.

Preventive Measure

- Effective viral vaccines
- Control of insect vector
- Eradications of insect breeding sites
- Insect repellents-DEET

2.6 DISEASE TRANSMITTED THROUGH ANIMALS

A disease that is naturally transmitted from animals to human is known as a zoonosis

Modes of transmission

- Contact with pets
- Contact with soil and water which is contaminated by animals
- Consuming of unpasteurized dairy products

Zoonotic Diseases

- Anthrax
- Cat_ scratch diseases
- Leptospirosis
- Q fever
- Ringworm
- Rabies
- Tetanus

Animal behaviorists have concluded that cats don't meow as a way to communicate with each other. It's a method they use for seeking attention from humans.

2.6.1 Anthrax

Anthrax is an acute infectious disease caused by the spore forming bacterium Bacillus anthracis. Primarily a disease of herbivorous animals, but it can infect all mammals including humans. The B. Anthracis spores can be found in animal products such as wool, hair, hides, skins, bones, meal and the carcasses of infected animals. The spores can survive in the soil for many years.

Causative organism

Bacillus anthracis

Incubation period

1 to 7 days

Up to 60 days post exposure

Modes of transmission

There are three main modes of transmission:

- Direct contact

XII_Nursing_Vocational_Unit 2.indd 40 1/11/2020 2:25:26 PM