


the appendix. As intraluminal tension develops, necrosis and perforation usually occur.

Signs and Symptoms

The typical symptoms of acute appendicitis are

1. Severe pain in the right side of the lower abdomen.
2. Rebound tenderness at McBurney's point.
3. Anoxia.
4. Low-grade fever.
5. Nausea and vomiting.
6. Constipation or diarrhoea occurs.

Diagnosis

1. Physical examination. Rebound tenderness at Mc Burney's point.
2. Laboratory test: complete blood count will show

- ❖ Leucocytosis
- ❖ Urinalysis

3. Abdominal X-ray to visualize shadow consistent with fecalith in appendix.
4. U.S.G. Abdomen

Management

Surgery: The standard Management for appendicitis is surgery that involeves removal of the appendix. The procedure is called appendectomy that can be done in two methods:

- ❖ Laparotomy – a single incision is made to remove the appendix
- ❖ Laparoscopic appendectomy – several small incisions are made using special surgical tools to remove the appendix. The advantage of this surgery is fast recovery

Complication

- ❖ Peritonitis
- ❖ Perforation
- ❖ Abscess formation

3.3 CARDIO VASCULAR DISORDERS

Hypertension

Acute Myocardial Infarction

Anaemia

XII_Nursing_Vocational_Unit 3.indd 60 1/11/2020 2:36:18 PM