Complication

- Status epileptics
- Injuries due to falls



- **National Epilepsy day November 17**
- **International Epilepsy day February 11**

3.6.2 Unconscious Status

Unconsciousness is a condition in which there is depression of cerebral function ranging from stupor to coma.

Coma may be defined as no eye opening on stimulation, absence of comprehensible speech, a failure to obey commands.

Unconsciousness is a lack of awareness of one's environment and the inability to respond to external stimuli.

Therefore, observe the patient's condition and prevent any complications.





Causes

- Head injuries
- Meningitis, encephalitis
- Diabetes mellitus
- Renal failure
- Poisonous drugs (stomach wash, refer practicals)
- Asphaxia
- Epilepsy

Diagnosis

- Assess the patient's level of consciousness by Glasgow coma scale.
  - Responses to command
  - Eye opening
  - Verbal responses
  - Motor responses

Glasgow Coma Scale Assessment

Behaviour	Response
 Eye Opening Response	4. Eye Opening Response 3. To speech 2. To pain 1. No response
 Verbal Response	5. Oriented to time, person and place 4. Confused 3. Inappropriate words 2. Incomprehensible sounds 1. No response
 Motor Response	6. Obeys command 5. Moves to localised pain 4. Flex to withdraw from pain 3. Abnormal flexion 2. Abnormal extension 1. No response

Interpretation

- Best score
- Worst Score
- 7 or less generally indicates coma (Changes from baseline are most important)

Nursing Management

- Maintenance of effective airway:
  - An adequate airway must be maintained at all times.
  - It must be necessary to hold the patients jaw forward or place the patient in the lateral position to prevent the tongue obstructing airway by falling back.

XII_Nursing_Vocational_Unit 3.indd 75 1/11/2020 2:36:34 PM