3.7.2 Osteoporosis

Osteoporosis is a disease characterised by low bone mass and deterioration of bone tissue, which can lead to increased risk of fracture.

Risk factors

- Genetics
- Lack of exercise
- Lack of calcium and vitamin D_3
- Diet calcium / vitamin D deficiency
- Osteoporosis means "porous bones"

Signs and Symptoms

- Pain
- Height loss or dull pain in the bones or muscles
- Swelling
- Redness
- Limited movement

Pathophysiology

Osteoporosis is a reduction in skeletal mass caused by an imbalance between bone reabsorption and bone formation. A change in either that is increased bone reabsorption or decreased bone formation may result is osteoporosis.

Investigation

- Blood: Test Calcium & Phosphorus
- BMD
- X–ray

Causes of Osteoporosis

- Low calcium diet
- Lack of physical activity
- Family history
- Women are more likely to develop osteoposis
- Hypercalciuria
- Anticonvulsant medications
- Hyperthyroidism
- Hyper parathyroidism
- Neoplastic disease – cancer

Management

- Medication – vitamins and calcium
- Dietary supplements
- Weight bearing exercises

3.8 ENDOCRINE DISORDERS

Diabetes Mellitus (DM)

Poly cystic ovarian syndrome (PCOD)

Hyperthyroidism

Hypothyroidism

3.8.1 Diabetes Mellitus (DM)

Diabetes mellitus is a metabolic disorder characterized by hyperglycemia (raised blood sugar level) and results from the defective insulin production, secretion, or utilization.

XII_Nursing_Vocational_Unit 3.indd 79 1/11/2020 2:36:39 PM