
- Metformin (glucophage) reduces hyperinsulinemia
- Improves hyperandrogenism
- Restores ovulation
- Fertility drugs may be used to induce ovulation.

Nursing Management

- A woman with PCOD includes teaching about the importance of weight management
- Exercises to decrease insulin resistance
- Obesity exacerbates the problems related to PCOD
- Monitor lipid profile and fasting glucose levels
- Support the patient as she explores measures to remove unwanted hair
- Stress the importance of regular follow up care to monitor the affective ness of therapy and to detect any complications.

3.8.3.HYPERTHYROIDISM:

It is defined as sustained increased in synthesis and relaxes of thyroid hormone by the thyroid glands.



It is highly prevented endocrine disorders.

Causes

- Graves' disease
- Toxic, diffuse goiter
- Toxic adenoma
- Thyroid carcinoma

Signs and Symptoms

- Heat intolerance
- Exophthalmos
- Loose bowel movements
- Profuse diaphoresis
- Tachycardia
- Hypertrophy of thyroid cells

Investigation

- History and physical examination
- Ophthalmologic examination
- Laboratory tests such as serum T3, T4, TSH, FT3, FT4, FTSH levels.
- Thyroid scan

Management

Medical management:

- Antithyroid drugs which inhibits synthesis of thyroid hormone, e.g. prophylthiouracil and methimazole
- Iodine e.g. Radioactive iodine
- Beta adrenergic blockers

Surgical management:

- Subtotal thyroidectomy : Removal of one lobe of the thyroid gland.
- Total thyroidectomy : Removal of thyroid gland.

XII_Nursing_Vocational_Unit 3.indd 84 1/11/2020 2:36:42 PM