It shouldn’t be a surprise that we’ll use a patch to apply CPU and memory configurations to Catalog Service. Create a patch-resources.yml file within the production overlay for Catalog Service (kubernetes/applications/catalog-service/production), and define both requests and limits for the container resources. Even though we’re considering a production scenario, we’ll use low values to optimize the resource usage in your cluster and avoid incurring additional costs. In a real-world scenario, you might want to analyze more carefully which requests and limits would be appropriate for your use case.

Listing 15.14 Configuring resource requests and limits for the container

```
apiVersion: apps/v1
kind: Deployment
metadata:
  name: catalog-service
spec:
  template:
    spec:
      containers:
        - name: catalog-service
          resources:
            requests:           ❶
              memory: 756Mi     ❷
              cpu: 0.1          ❸
            limits:             ❹
              memory: 756Mi     ❺
              cpu: 2            ❻
```

❶ Minimum amount of resources required by the container to operate

❷ The container is guaranteed 756 MiB.

❸ The container is guaranteed CPU cycles equivalent to 0.1 CPU.

❹ Maximum amount of resources the container is allowed to consume

❺ The container can consume 756 MiB at most.

❻ The container can consume CPU cycles equivalent to 2 CPUs at most.

Next, open the kustomization.yml file in the production overlay for Catalog Service, and configure Kustomize to apply the patch.