Go to your GitHub projects and follow the execution of the three stages. In the end, you'll find a new commit in your `polar-deployment` repository, which was submitted by GitHub Actions and contains a change to the Catalog Service production overlay so it uses the newest release version.

Perfect! We just got rid of the first of the two remaining manual steps: updating the deployment scripts with the newest release version. We still have to apply the Kubernetes manifests to the cluster manually, using the Kubernetes CLI. The second step of the production stage will take care of automating the application deployment whenever a new version is promoted to production. That's the topic of the next section.

Polar Labs

It's time to apply what you learned in this section to Edge Service, Dispatcher Service, and Order Service.

1. Generate a PAT with a `workflow` scope for each application. It's a security best practice not to reuse tokens for multiple purposes.
2. For each application, save the PAT as a Secret from the GitHub repository page.
3. Update the acceptance stage workflow with a final step that sends a notification to the production stage with information about the newest release candidate.
4. Push your changes to GitHub, ensure the workflow is completed successfully, and check that the production stage workflow in the `polar-deployment` repository is triggered correctly.

Edge Service is the only application available through the public internet, and it requires an additional patch to configure the Ingress to block requests to the Actuator endpoints from outside the cluster. You can get the additional patch from the applications/edge-service/production folder, within Chapter15/15-end/polar-deployment.