```
nodeGroups:                          <-- The data plane—three t2.large EC2 instances
- name: default-mng
  instanceType: t2.large
  desiredCapacity: 3
cloudWatch:                          <-- Enables control plane logging in CloudWatch
  clusterLogging:
    enableTypes: ["*"]
```

Then, provision and launch the EKS cluster as follows:

```
$ eksctl create cluster -f otel-demo-cluster.yaml
```

Wait 10 to 15 minutes, and then verify (you may see fewer nodes, depending on your settings):

```
$ kubectl get nodes
NAME                STATUS   ROLES    AGE     VERSION
ip-1..7.eu-west-1   Ready    <none>   2d23h   v1.24.10-eks-48e63af
ip-1..4.eu-west-1   Ready    <none>   3d14h   v1.24.10-eks-48e63af
ip-1..1.eu-west-1   Ready    <none>   2d23h   v1.24.10-eks-48e63af
```

Now, we're ready for the demo walk-through.

A.3 Demo walk-through

First off, we will install the OpenTelemetry demo. After installation, we'll be ready to use it!

A.3.1 Installing the demo

Use the following commands to install the demo. First off, we need to add the Helm repository of the demo, like so:

```
$ helm repo add open-telemetry \
       https://open-telemetry.github.io/opentelemetry-helm-charts
```

Now, we can install the demo:

```
$ helm install my-otel-demo \
       open-telemetry/opentelemetry-demo
```

Verify that everything has come up; this may take a few minutes. You should see something like the following (effectively, you want to make sure all pods are in the `Running` status; note that I have edited the output to fit):

```
$ kubectl -n default get pods
NAME                          READY STATUS    RESTARTS        AGE
my-otel-demo-accountingse... 1/1   Running   4 (13d ago)     13d
my-otel-demo-adservice-86... 1/1   Running   0               13d
my-otel-demo-cartservice7... 1/1   Running   0               13d
my-otel-demo-checkoutserv... 1/1   Running   4 (13d ago)     13d
my-otel-demo-currencyserv... 1/1   Running   0               13d
my-otel-demo-emailservice... 1/1   Running   58 (83m ago)    13d
```