Let’s use the cryptographic key pair to generate a wallet so that we can operate on a public blockchain by generating the accounts from the mnemonic copied from the BIP39 tool (section 5.2.4) and by collecting ether as deposits in the accounts. Here is a way to use the cryptographic mnemonic you saved in section 5.2.4:

1. Open the Chrome browser where MetaMask is installed, and connect to Ropsten by choosing Ropsten Test Network from the Networks drop-down list. (You may have to click MetaMask, click the round account icon, and log out before completing this step.)
2. Click Import, using the account seed phrase, and in the text box that opens, enter the mnemonic you generated in section 5.2.4. This interface requires a password; enter the password twice and then click the Restore button. (This step is similar to connecting to the Ganache test chain from MetaMask in chapter 4.)
3. To create any number of accounts, click the Create Account button in MetaMask; copy one of the new account addresses that shows up to the clipboard. This account is a valid account of the Ropsten network. You’ll notice that you have 0 ether balance.
4. Use the copied address to receive the test ether from a Ropsten faucet tool as shown in the next two steps.

To work on Ropsten, you need to receive some test ether, which you can do by accessing any Ropsten faucet. Follow these steps:

1. In your browser, navigate to the Ropsten faucet page (https://faucet.ropsten.be), shown on the left side of figure 5.6.
2. Paste in the address you created in MetaMask and copied to your clipboard, and then click the Send Me Test Ether button. After a short time, you’ll receive 1.0 ether credited to the MetaMask account you created.

You can get 1 ether every 24 hours on this particular faucet, which is sufficient for making the initial deployment and learning about this