```
Feature: Transfer points to other members

  @transfers
  Scenario: Transfer points between existing members
    Given the following accounts:
      | owner | points | statusPoints  |
      | Jill  | 100000 | 800           |
      | Joe   | 50000  | 50            |
    When Joe transfers 40000 points to Jill
    Then the accounts should be the following:
      | owner | points | statusPoints   |
      | Jill  | 140000 | 800            |
      | John  | 10000  | 50             |
```

Behave will pass the tabular data to each step in the context object, as illustrated here:

```
@given('the following accounts')
def step_impl(context):
    for row in context.table:
        owner = row["owner"]
        points = row["points"]
        statusPoints = row["statusPoints"]
```

Tabular data is passed in the context.table variable.

Extract values from each row.

6.6.6 Step definitions for tables of examples

Like Cucumber, Behave makes example tables simple: steps for example tables are no different from any other kind of step.

6.6.7 Running scenarios in Behave

To run your features, just call `behave` from the command line. There are quite a few command-line options (run `behave --help` to see them all), but one of the most useful is the `--tags` option, which lets you limit the scenarios you execute to those with a given tag or set of tags. For example, the following scenario is annotated with the `@transfers` tag:

```
@transfers
Scenario: Transfer points between existing members
   ...
```

You could execute this scenario, and any other scenarios with this tag, by using the `--tags` option:

```
$ behave --tags=transfers
```

Another very useful option is the `--junit` option, which generates JUnit-compatible test reports in the reports directory. This makes it easy to incorporate Behave tests into your build process using a continuous integration server, and also allows for more sophisticated reporting with Thucydides.

Again, we've just scratched the surface of what you can do with Behave. For more information, take a look at the Behave website (http://pythonhosted.org/behave/).