```
| North Shore | Berowa       | 8:10                | 20
| Bankstown   | Liverpool    | 8:12                | 16
When I want to travel from Central to Chatswood at 8:00
Then I should be told about the following trains:
| Destination     | Departure Time  | Platform
| Epping          | 8:02            | 10
| Berowa          | 8:10            | 20
```

The test data used to prepare the scenario

The expected results

Of course, this scenario would only test one test case, and the feature might be better illustrated by several different examples. Alternatively, you could use a more example-driven approach, as shown here:

```
Scenario: Tell users about the next departure times from a given station
Given the following train timetable entries
| Line          | Destination  | Departs Central     | Platform
| Northern      | Epping       | 8:02                | 10
| Western       | Emu Plains   | 8:04                | 12
| North Shore   | Berowa       | 8:10                | 20
| Bankstown     | Liverpool    | 8:12                | 16
When I want to travel from <departure> to <destination>
Then I should be told about trains on the lines: <expectedLines>
Examples:
|departure     | destination  | expectedLines                |
|Central       | Epping       | Northern, Epping             |
|Martin Place  | Central      | Inner City                   |
|Redfern       | Strathfield  | Western, Epping, Inner City|
```

❶ **The test data used to prepare the scenario.**

❷ **Illustrate possible outcomes with several examples.**

Here you set up the test data as in the previous example ❶ and then illustrate the scenario with examples of several different search criteria ❷. Note that you express the expected results as a list of line names, which will be checked against the actual records found by the search.

7.2.5 Using personas and known entities

Another useful technique when setting up data for a scenario is to use *personas* or *known entities*. In the domain of user experience (UX), personas are fictional characters that are meant to represent the different types of people who will be using the system. A persona usually comes with a very detailed description, including everything from the fictional person's name and email address to their interests, hobbies, and work habits. Figure 7.7 shows a persona for a Flying High customer.

When it comes to setting up test data for your scenarios, a persona assembles a set of precise data under a well-known name. So when you refer to Jane in the following scenario, everyone on the team will know who you're talking about. Here's an example of one of Jane's scenarios:

```
Scenario: Registering online for a new Frequent Flyer account
Given Jane is not a Frequent Flyer member
When Jane registers for a new account
Then Jane should be sent a confirmation email
And Jane should receive 500 bonus points
```

❶ **"Jane" refers to the persona with this name.**