Note that you're using the `findElements()` method ❶ rather than the `findElement()` method you saw previously. As the name suggests, the `findElements()` method returns a list of matching web elements, rather than just a single one. You then check the size of the returned list, using the FEST-Assert library (https://github.com/alexruiz/fest-assert-2.x) to make the test more readable ❷.

This would be enough if you just wanted to count the number of featured destinations, but if you need to check the destination titles, you'll need to drill further. Fortunately, CSS selectors are flexible. You could retrieve the titles directly by finding all the web elements with the `destination-title` class:

```
driver.findElements(By.cssSelector(".destination-title"));
```

This would work, but it may not be robust. If destination titles were used elsewhere on the page, you'd retrieve too many titles. A safer approach would be to limit your search to the elements nested within the `<div>` that contains all of the featured destinations:

```
driver.findElements(By.cssSelector("#featured .destination-title"));
```

Once you have a list of matching web elements, you need to convert it to a list of strings that you can verify. You could write something like this:

Find all featured destination title elements. ❶

```
List<WebElement> destinations
  = driver.findElements(By.cssSelector("#featured .destination-title"));

List<String> destinationTitles = new ArrayList<String>();
for(WebElement destinationElement : destinations) {
    destinationTitles.add(destinationElement.getText());
}
assertThat(destinationTitles).contains("Singapore");
```

Convert these web elements into a list of strings.

❷ **Use getText() to extract the string contents of each element.**

Check the contents of the list.

First, retrieve the list of matching web elements ❶. To get the text content of a `WebElement`, you use the `getText()` method, so loop through the web elements and extract the text contents of each one ❷. Finally, check that the destination titles do indeed contain "Singapore."

We've just scratched the surface of CSS selectors here, but they're very useful for working with modern jQuery-based UI frameworks. You can find more details on the W3 web site (http://www.w3.org/TR/CSS21/selector.html). Most modern browsers have excellent native support for CSS selectors, which means that tests using CSS selectors will generally be very fast.

Identifying elements using XPath

CSS selectors are flexible and elegant, but they do run into limits from time to time. A more powerful alternative is to use *XPath*. XPath is a query language designed to select elements in an XML document.

XPath expressions are path-like structures that describe elements within a page based on their relative position, attribute values, and content. In the context of WebDriver,