automating scenarios
  with Behave
    combining steps 168
    embedded tables 168–169
    installing 167
    project structure 167
    running scenarios 169
    step definitions 167–168
    tables of examples 169
  with Cucumber-JS
    feature files for 175–176
    running scenarios 177–178
    setting up 175
    step definitions 176–177
  with Cucumber-JVM
    passing tables to steps 164–165
    pattern variants 163–164
    pending steps 166
    project setup 162–163
    scenario outcomes 166
    sharing data between steps 165–166
    step definitions 163
    tables of examples 165
  with JBehave
    installing 154–156
    passing tables to steps 158
    pattern variants 159–160
    scenario outcomes 160–161
    sharing data between steps 157
    step definitions 156–157
    tables of examples 158–159
  overview 143
  with SpecFlow
    adding feature files 170–171
    running scenarios 171–172
    setting up 170
    sharing data between steps 173
    step definitions 172–173
    tables of examples 173–174
  step definitions
    example-based scenarios 151–152
    keeping methods simple 145–146
    maintaining state 149–150
    overview 143–145, 147–148
    passing parameters to 148–149
    scenario outcomes 152–153
    using table data from 150–151
  Thucydides and 154
automating UI tests
  with headless browsers 204
  how much testing to do 205
  page objects
    exposing simple types and domain objects 227
    fluent selectors and 234
    libraries for 233
    navigating with 232
    overview 222
    Page Objects pattern 223
    reporting on page state 230
    WebDriver API and 224
  Selenium WebDriver
    AJAX applications 219
    element interaction methods 218
    identifying elements 210
    overview 206
    test-friendly web applications 221
    using Java API 207
  too many tests and 203

B

Backbone.js 204
Background keyword 132
backlog 64, 308–309
backslash (\) 172
Bamboo 335
BAU (Business as Usual) 56
BDD (Behavior-Driven Development)
  advantages of 28–29, 274
  conversation and 242
  disadvantages of
    acceptance tests and 30–31
    Agile methodology needed 30
    high business engagement 29
    siloed development and 30
  lifecycle 39–56
  overview 3–7
  principles of
    embracing uncertainty 18
    executable specifications 21–23
    focusing on features that deliver business value 16–17
    illustrating features with concrete examples 18–20
    living documentation 26
    low-level specifications 23–25
    maintaining applications 27–28
    overview 15–16
    specifying features 17
  requirements analysis using 14–15
  software quality and
    aligning with business goals 9–10
    overview 7–9
    unknown data 10–12
  TDD and 12–14
  unit testing and
    built on TDD practices 264
    overview 261–263
    specifications vs. tests 263
    tools available for 264
@Before annotation 187–188
before_all hook 187
before_feature hook 187
before_scenario hook 187
before_tag hook 188
[BeforeFeature] attribute 187
@BeforeScenario annotation 187
[BeforeScenario] attribute 187–188
@BeforeStories annotation 187
@BeforeStory annotation 187
[BeforeTestRun] attribute 187
Behat 40
Behave 119
  automating scenarios with
    combining steps 168
    embedded tables 168–169
    installing 167
    project structure 167
    running scenarios 169
    step definitions 167–168
    tables of examples 169
  initialization hooks in 189
Behavior-Driven Development. *See* BDD
[Binding] attribute 172
browsers, headless 204
Build Pipeline plugin 329