Figure 5.16. Adding velocity and releases to our case study

Figure 5.17. The distribution of estimates for a sprint: how many are completed and how many get pushed to the next sprint?

Figure 5.18. Velocity isn’t dipping anymore and the good/bad build trend is continuing to improve.

Figure 5.19. A much better distribution of estimates for a sprint

Figure 5.20. Adding releases to our graph to see frequency showed trends continuing to improve over time.

Chapter 6. Data from your production systems

Figure 6.1. You are here: application monitoring’s place in the application lifecycle

Figure 6.2. The data from the application lifecycle and the division of development and operations teams

Figure 6.3. Questions that you can answer from production monitoring alone

Figure 6.4. An example architecture to collect arbitrary metrics

Figure 6.5. A screenshot of Grafana, the web front end for the Graphite time-series database. Note that the metrics displayed are arbitrary metrics defined in the code of the application.

Figure 6.6. New Relic charting data over time with a clear delineation of a code release

Figure 6.7. Results for #nikeplus from the Nike+ Running app

Figure 6.8. New Relic dashboard overview showing the performance of the different layers of a web application

Figure 6.9. The New Relic transactions view showing the pages on your website where consumers spend the most time

Figure 6.10. The dashboard the BI team paid the closest attention to

Figure 6.11. The Kibana dashboard the team generated to track their statistics