Listing 5.9 `SK_connecting.py`

```
import semantic_kernel as sk

selected_service = "OpenAI"     #1
kernel = sk.Kernel()     #2

service_id = None
if selected_service == "OpenAI":
    from semantic_kernel.connectors.ai.open_ai import OpenAIChatCompletion

    api_key, org_id = sk.openai_settings_from_dot_env()     #3
    service_id = "oai_chat_gpt"
    kernel.add_service(
        OpenAIChatCompletion(
            service_id=service_id,
            ai_model_id="gpt-3.5-turbo-1106",
            api_key=api_key,
            org_id=org_id,
        ),
    )
elif selected_service == "AzureOpenAI":
    from semantic_kernel.connectors.ai.open_ai import AzureChatCompletion

    deployment, api_key, endpoint =
↪ sk.azure_openai_settings_from_dot_env()   #4
    service_id = "aoai_chat_completion"
    kernel.add_service(
        AzureChatCompletion(
            service_id=service_id,
            deployment_name=deployment,
            endpoint=endpoint,
            api_key=api_key,
        ),
    )

#This function is currently broken
async def run_prompt():
    result = await kernel.invoke_prompt(
              ↪ prompt="recommend a movie about
↪ time travel")     #5
    print(result)

# Use asyncio.run to execute the async function
asyncio.run(run_prompt())     #6

###Output
One highly recommended time travel movie is "Back to the Future" (1985)
directed by Robert Zemeckis. This classic film follows the adventures of
teenager Marty McFly (Michael J. Fox)…
```

#1 Sets the service you're using (OpenAI or Azure OpenAI)
#2 Creates the kernel
#3 Loads secrets from the .env file and sets them on the chat service
#4 Loads secrets from the .env file and sets them on the chat service
#5 Invokes the prompt
#6 Calls the function asynchronously