Listing 5.15 `SK_native_functions` (remaining code)

```
plugins_directory = "plugins"

recommender = kernel.import_plugin_from_prompt_directory(
    plugins_directory,
    "Recommender",
)     #1

recommend = recommender["Recommend_Movies"]

seen_movies_plugin = kernel.import_plugin_from_object(
    MySeenMoviesDatabase(), "SeenMoviesPlugin"
)     #2

load_seen_movies = seen_movies_plugin["LoadSeenMovies"]     #3

async def show_seen_movies():
    seen_movie_list = await load_seen_movies(kernel)
    return seen_movie_list

seen_movie_list = asyncio.run(show_seen_movies())     #4
print(seen_movie_list)

async def run():      #5
    result = await kernel.invoke(
        recommend,
        sk.KernelArguments(
                settings=execution_settings,
                input=seen_movie_list),
    )
    print(result)


asyncio.run(run())    #5

###Output
The Matrix, The Matrix Reloaded, The Matrix Revolutions, The Matrix
Resurrections – output from print statement
Based on your interest in the "The Matrix" series, it seems you enjoy
science fiction films with a strong philosophical undertone and action
elements. Given that you've watched all
```

#1 Loads the semantic function as shown previously
#2 Imports the skill into the kernel and registers the function as a plugin
#3 Loads the native function
#4 Executes the function and returns the list as a string
#5 Wraps the plugin call in an asynchronous function and executes

One important aspect to note is how the native function was imported into the kernel. The act of importing to the kernel registers that function as a plugin/skill. This means the function can be used as a skill from the kernel through other conversations or interactions. We'll see how to embed a native function within a semantic function in the next section.