Listing 5.21 `SK_service_chat.py` (function setup)

```
system_message = "You are a helpful AI assistant."

tmdb_service = kernel.import_plugin_from_object(
TMDbService(), "TMDBService")     #1

# extracted section of code
execution_settings = sk_oai.OpenAIChatPromptExecutionSettings(
        service_id=service_id,
        ai_model_id=model_id,
        max_tokens=2000,
        temperature=0.7,
        top_p=0.8,
        tool_choice="auto",
        tools=get_tool_call_object(
            kernel, {"exclude_plugin": ["ChatBot"]}),     #2
    )

prompt_config = sk.PromptTemplateConfig.from_completion_parameters(
    max_tokens=2000,
    temperature=0.7,
    top_p=0.8,
    function_call="auto",
    chat_system_prompt=system_message,
)     #3
prompt_template = OpenAIChatPromptTemplate(
    "{{$user_input}}", kernel.prompt_template_engine, prompt_config
)     #4

history = ChatHistory()

history.add_system_message("You recommend movies and TV Shows.")
history.add_user_message("Hi there, who are you?")
history.add_assistant_message(
    "I am Rudy, the recommender chat bot. I'm trying to figure out what
people need."
)     #5

chat_function = kernel.create_function_from_prompt(
    prompt_template_config=prompt_template,
    plugin_name="ChatBot",
    function_name="Chat",
)     #6
```

#1 Imports the TMDbService as a plugin
#2 Configures the execution settings and adds filtered tools
#3 Configures the prompt configuration
#4 Defines the input template and takes full strings as user input
#5 Adds the chat history object and populates some history
#6 Creates the chat function

Next, we can continue by scrolling in the same file to review the chat function, as shown in the following listing.