Of course, the simple solution to building the tree now is to ask ChatGPT or an otherwise capable model. The result of asking ChatGPT to make the tree is shown in the next listing. You could also work the tree out independently and perhaps introduce other elements.

Listing 6.11 ABT for building an assistant

```
Root
│
├── Sequence
│    ├── Action: Give the assistant relevant instructions to help a user
with a given task
│    ├── Action: Name the assistant
│    ├── Action: Test the assistant
│    ├── Condition: Verify the assistant
│    └── Action: Create the assistant
```

From this point, we can start building the tree by iterating over each action and condition node and determining what instructions the assistant needs. This can also include any tools and custom actions, including ones you may need to develop. On your first pass, keep the instructions generic. Ideally, we want to create as few assistants as necessary.

After determining the assistant, tools, and actions for each assistant and for which task, you can try to generalize things further. Think about where it may be possible to combine actions and reduce the number of assistants. It's better to start evaluating with insufficient assistants than with too many. However, be sure to maintain the proper divisions of work as tasks: for example, testing and verification are best done with different assistants.

6.6 Exercises

Complete the following exercises to improve your knowledge of the material:

- *Exercise 1*—Creating a Travel Planner ABT

Objective —Build an agentic behavior tree (ABT) to plan a travel itinerary using assistants.

Tasks: