Listing 8.8 Query: Who made the girls cry?

```
Enter a search query (or 'exit' to stop): Who made the girls cry?
How many top matches do you want to see? 3
Top Matched Documents:
Document 1: WILLY, WILLY

        Willy, Willy Wilkin…
```

This exercise shows how various retrieval methods can be employed to return documents semantically. With this base established, we can see how RAG can be applied to knowledge and memory systems. The following section will discuss RAG as it applies to knowledge of agents and agentic systems.

8.5 Applying RAG to building agent knowledge

Knowledge in agents encompasses employing RAG to search semantically across unstructured documents. These documents could be anything from PDFs to Microsoft Word documents and all text, including code. Agentic knowledge also includes using unstructured documents for Q&A, reference lookup, information augmentation, and other future patterns.

Nexus, the agent platform developed in tandem with this book and introduced in the previous chapter, employs complete knowledge and memory systems for agents. In this section, we'll uncover how the knowledge system works.

To install Nexus for just this chapter, see listing 8.9. Open a terminal within the `chapter_08` folder, and execute the commands in the listing to download, install, and run Nexus in normal or development mode. If you want to refer to the code, you should install the project in development and configure the debugger to run the Streamlit app from VS Code. Refer to chapter 7 if you need a refresher on any of these steps.