Table 9.1 LLM variation options in prompt flow

Option	Evaluation option examples	Notes
Jinja2 prompt template	Compare system prompt variations, user prompt variations, or mixed prompt variations.	Some endless combinations and techniques can be applied here. Prompt engineering is evolving all the time.
LLM	Compare GPT-9.5 to GPT-4. Compare GPT-4 to GPT-4 Turbo. Compare open source models to commercial models.	This is a useful way to evaluate and ground model performance against a prompt. It can also help you tune your profile to work with open source and/or cheaper models.
Temperature	Compare a 0 temperature (no randomness) to a 1 (maximum randomness).	Changes to the temperature can significantly change the responses of some prompts, which may improve or degrade performance.
Max tokens	Compare limited tokens to larger token sizes.	This can allow you to reduce and maximize token usage.
Advanced parameters	Compare differences to options such as `top_p`, `presence_penalty`, `frequency_penalty`, and `logit_bias`.	We'll cover the use of these advanced parameters in later chapters.
Function calls	Compare alternative function calls.	Function calls will be addressed later in this chapter.

For this simple example, we're just going to use prompt variations by varying the input to reflect in either the system or user prompt. Refer to figure 9.17 for what this looks like. We can then quickly run both variations by clicking the Play (Run All) button at the top and choosing both, as shown in figure 9.18.