Table 11.4 When and where feedback is employed and used in various applications

Application	Implemented	Environment	Purpose	Timing	Configuration
Personal assistant	External or by the user	Aggregated to the server or as part of the system	Provides means of system improvement	After or during the interaction	Internal and external
Customer service bot	External monitor	Aggregated to the server	Qualifies and provides a means for system improvement	After the interaction	External to the agent system
Autonomous agent	External	Aggregated at the server	Provides a means for system improvement	After the interaction	External
Collaborative workflows	While interacting	Shared canvas or coding	Provides a mechanism for immediate feedback	During the interaction	External service
Game AI	External or internal	Server or application	As part of internal evaluation feedback provided for dynamic improvement	After or during the interaction	External or as part of the agent or another agent
Research	Combined manual and LLM	Server and human	Evaluate the output of the research developed	After the generated output	Depends on the complexity of the problem and the research undertaken

Table 11.4 shows several application scenarios in which we may find an assistant or agent deployed to assist in some capacity. To provide further information and guidance, this list provides more details about how feedback may be employed in each application:

- *Personal assistant*—If the assistant or agent interacts with the user in a chat-style interface, direct and immediate feedback can be applied by the user. Whether this feedback is sustained over future conversations or interactions, it usually develops within agentic memory. Assistants such