Akka Management is a set of tools you can use to perform cluster operations. Many modules are built on top of it, but for now, we focus on `akka-management-cluster-http`. Its API lets you check the status of the cluster via HTTP calls and change it if the configuration allows.

To add this functionality, you need to include some library dependencies: `akka -management`, `akka-management-cluster`, and, to work around the transitive dependencies, `akka-cluster-sharding` and `akka-discovery`. Here's how:

```
val AkkaManagementVersion = "1.1.4"
val AkkaVersion = "2.6.20"

libraryDependencies ++= Seq(
.akka.management" %% "akka-management" % AkkaManagementVersion,
"com.lightbend.akka.management" %% "akka-management-cluster-http" %
➥AkkaManagementVersion,
"com.typesafe.akka" %% "akka-cluster-sharding" % AkkaVersion,
"com.typesafe.akka" %% "akka-discovery" % AkkaVersion)
```

This gives you the following `akka-management` default configuration:

```
akka.management.http.hostname = "<hostname>"     ❶
akka.management.http.port = 8558                 ❷
```

❶ InetAddress.getLocalHost.getHostAddress is used if .hostname is "<hostname>" or empty.

❷ Port pun: it "complements" 2552

That provides an HTTP endpoint at

```
[InetAddress.getLocalHost.getHostAddress]:8558      ❶
```

❶ Something like 192.168.178.70:8558