❸ Akka Typed module

This book is all about Akka Typed, and here you have the core module. This is where Akka Typed begins.

2.2.8 Running the app

To run the wallet app, you need to open the command line and start an sbt shell. To do this, go to the root directory of akka-topics and run the following:

```
$ sbt
```

You should see something like listing 2.2. Most of the output is irrelevant. The most important line is the first, which prints the sbt and Java versions. The next- most-important line is the last: it says the sbt server has been started, which means you are in the sbt shell.

Listing 2.2 Starting the sbt shell

```
[info] welcome to sbt 1.5.0 (AdoptOpenJDK Java 11.0.9)                ❶
[info] loading settings for project global-plugins from build.sbt ...
[info] loading global plugins from /Users/francisco/.sbt/1.0/plugins
[info] loading settings for project code-build from plugins.sbt ...
[info] loading project definition from /Users/francisco/AkkaBook/code/project
[info] loading settings for project code from build.sbt ...
[info] resolving key references (24537 settings) ...
[info] set current project to code (in build file:/Users/francisco/AkkaBook/code/)
[info] sbt server started at
local:///Users/francisco/.sbt/1.0/server/347d55a887437ea58247/sock
[info] started sbt server                                             ❷
sbt:code>
```

❶ sbt and Java versions

❷ Shows that the server has started