chapter 4? What if we forgot to terminate those VMs? A lot of money would have been wasted because of that. You'll now create an EC2 instance that stops itself automatically. The following snippet shows a one-liner terminating an EC2 instance after five minutes. The command `at` is used to execute the `aws ec2 stop-instances` with a five-minute delay:

```
$ echo "aws ec2 stop-instances --instance-ids i-0b5c991e026104db9" \
➥ | at now + 5 minutes
```

The EC2 instance needs permission to stop itself. Therefore, you need to attach an IAM role to the EC2 instance. The role contains an inline identity policy granting access to the `ec2:StopInstances` action. Unfortunately, we can't lock down the action to the EC2 instance resource itself due to a cyclic dependency. Luckily, we can grant permissions with additional conditions. One such condition is that a specific tag must be present. The following code shows how you define an IAM role with the help of CloudFormation:

```
Role:
  Type: 'AWS::IAM::Role'
  Properties:
    AssumeRolePolicyDocument:                    ①
      Version: '2012-10-17'
      Statement:
      - Effect: Allow
        Principal:                               ②
          Service: 'ec2.amazonaws.com'           ③
        Action: 'sts:AssumeRole'                 ④
    ManagedPolicyArns:
    - 'arn:aws:iam::aws:policy/AmazonSSMManagedInstanceCore'
    Policies:                                    ⑤
    - PolicyName: ec2                            ⑥
      PolicyDocument:                            ⑦
        Version: '2012-10-17'
        Statement:
        - Effect: Allow                          ⑧
```