```
      From: '80'
      To: '80'
    RuleAction: 'allow'
    Egress: 'true'
    CidrBlock: '0.0.0.0/0'
NetworkAclEntryOutPrivateBackendHTTPS:                    ④
  Type: 'AWS::EC2::NetworkAclEntry'
  Properties:
    NetworkAclId: !Ref NetworkAclPrivateBackend
    RuleNumber: '110'
    Protocol: '6'
    PortRange:
      From: '443'
      To: '443'
    RuleAction: 'allow'
    Egress: 'true'
    CidrBlock: '0.0.0.0/0'
NetworkAclEntryOutPrivateBackendEphemeralPorts:           ⑤
  Type: 'AWS::EC2::NetworkAclEntry'
  Properties:
    NetworkAclId: !Ref NetworkAclPrivateBackend
    RuleNumber: '200'
    Protocol: '6'
    PortRange:
      From: '1024'
      To: '65535'
    RuleAction: 'allow'
    Egress: 'true'
    CidrBlock: '10.0.1.0/24'
```

① Allows inbound HTTP from proxy subnet

② Ephemeral ports

③ Allows outbound HTTP to everywhere

④ Allows outbound HTTPS to everywhere

⑤ Ephemeral ports

5.5.4 Launching virtual machines in the subnets

Your subnets are ready, and you can continue with the EC2 instances. First you describe the proxy, like this: