```
      "Progress": "100%",                                    ②
      "SnapshotId": "snap-0babfe807decdb918",
      "StartTime": "2022-08-25T07:59:50.717000+00:00",
      "State": "completed",                                  ③
      "VolumeId": "vol-043a5516bc104d9c6",
      "VolumeSize": 5,
      "StorageTier": "standard"
    }
  ]
}
```

① Replace $VolumeId with the ID of your snapshot.

② Progress of your snapshot

③ The snapshot has reached the state completed.

Creating a snapshot of an attached, mounted volume is possible but can cause problems with writes that aren't flushed to disk. You should either detach the volume from your instance or stop the instance first. If you absolutely must create a snapshot while the volume is in use, you can do so safely as follows:

1. Freeze all writes by running `sudo fsfreeze -f /data` on the virtual machine.
2. Create a snapshot and wait until it reaches the pending state.
3. Unfreeze to resume writes by running `sudo fsfreeze -u /data` on the virtual machine.
4. Wait until the snapshot is completed.

Unfreeze the volume as soon as the snapshot reaches the state `pending` . You don't have to wait until the snapshot has finished.

With an EBS snapshot, you don't have to worry about losing data due to a failed EBS volume or human failure. You are able to restore your data from your EBS snapshot.