- `task-la`—Lists tasks by category with various filters
- `task-done`—Marks a task as finished

In the following sections, you'll implement these commands to learn about DynamoDB hands-on. This listing shows the full CLI description of all the commands, including parameters.

Listing 12.1 CLI description language docopt: Using nodetodo (cli.txt)

```
nodetodo

Usage:
  nodetodo user-add <uid> <email> <phone>
  nodetodo user-rm <uid>
  nodetodo user-ls [--limit=<limit>] [--next=<id>]    ①
  nodetodo user <uid>
  nodetodo task-add <uid> <description> \
➥ [<category>] [--dueat=<yyyymmdd>]                  ②
  nodetodo task-rm <uid> <tid>
  nodetodo task-ls <uid> [<category>] \
➥ [--overdue|--due|--withoutdue|--futuredue]         ③
  nodetodo task-la <category> \
➥ [--overdue|--due|--withoutdue|--futuredue]
  nodetodo task-done <uid> <tid>
  nodetodo -h | --help                                ④
  nodetodo --version                                  ⑤

Options:
  -h --help        Show this screen.
  --version        Show version.
```

① The named parameters limit and next are optional.

② The category parameter is optional.

③ Pipe indicates either/or.

④ help prints information about how to use nodetodo.

⑤ Version information

DynamoDB isn't comparable to a traditional relational database in which you create, read, update, or delete data with SQL. You'll use